


Channels—U



U Channels .015 — .030					
THICKNESS	OUTSIDE DIMENSIONS			RAD	SHAPE NO.
	WEB	LEG A	LEG B		
0.015	0.780	0.240	0.240	MIN	1445
0.018	0.661	0.218	0.218	MIN	1583
0.021	0.162	0.375	0.281	MIN	1735
0.023	0.301	0.750	0.750	MIN	1808
0.024	0.204	0.250	0.250	0.015	1739
0.024	0.219	0.797	0.797	0.030	1593
0.024	0.298	1.000	1.000	MIN	1839
0.024	0.360	0.336	0.336	MIN	1817
0.024	0.500	0.500	0.500	0.024	1933
0.024	0.505	0.750	0.750	MIN	1818
0.025	0.250	0.625	0.375	MIN	1813
0.030	0.560	0.320	0.320	MIN	1867
0.030	1.531	1.000	0.188	MIN	1794
0.030	1.531	1.000	0.188	MIN	1795

more next page

Call, email or fax for more information, materials and availability.



ROLL FORMED PRODUCTS COMPANY


Samson Roll Formed Products Company
6101 West Oakton Street
Skokie, Illinois 60077

Phone: (847) 965-6700
Fax: (847) 965-8950
E-mail: sales@samsonrollform.com

samsonrollform.com

Channels—U

continued



U Channels .034 — .052					
THICKNESS	OUTSIDE DIMENSIONS			RAD	SHAPE NO.
	WEB	LEG A	LEG B		
0.034	0.604	0.375	0.375	MIN	1948
0.036	0.322	0.500	0.500	MIN	1799
0.036	0.384	0.312	0.312	MIN	2019
0.036	1.096	1.500	1.500	0.060	2010
0.040	0.840	0.374	0.374	MIN	1800
0.040	0.938	0.300	0.300	MIN	1758
0.040	0.950	0.350	0.350	0.060	1959
0.040	1.000	0.530	0.530	0.060	1936
0.048	0.219	1.250	1.250	MIN	1567
0.048	0.312	0.312	0.312	MIN	1907
0.048	0.625	0.625	0.625	MIN	1802
0.048	0.658	0.435	0.435	0.015	1848
0.048	0.750	0.880	0.310	MIN	1876
0.048	0.800	0.250	0.170	MIN	1879
0.048	0.813	0.435	0.435	0.015	1863
0.048	0.971	0.485	0.485	0.060	1728
0.051	.500	.810	.810	MIN	S-1725
0.052	0.942	1.270	1.270	MIN	1915
0.052	1.092	1.427	1.427	0.030	1919
0.052	1.250	1.300	1.125	MIN	1905

more next page

Call, email or fax for more information, materials and availability.



ROLL FORMED PRODUCTS COMPANY


Samson Roll Formed Products Company
6101 West Oakton Street
Skokie, Illinois 60077

Phone: (847) 965-6700
Fax: (847) 965-8950
E-mail: sales@samsonrollform.com

samsonrollform.com

Channels—U

continued



U Channels .060 — .125					
THICKNESS	OUTSIDE DIMENSIONS			RAD	SHAPE NO.
	WEB	LEG A	LEG B		
0.060	0.396	0.500	0.500	0.040	1710
0.060	2.125	0.875	0.312	MIN	1432
0.060	2.250	0.750	0.750	0.060	1757
0.063	0.620	0.190	0.190	MIN	1755
0.064	0.393	0.540	0.540	0.020	1927
0.064	0.730	0.370	0.370	0.015	1880
0.064	1.224	0.490	0.490	MIN	1952
0.075	0.750	1.375	1.375	MIN	1935
0.075	0.820	0.365	0.365	MIN	1885
0.075	1.000	0.375	0.375	MIN	1823
0.075	1.000	0.500	0.500	MIN	1809
0.075	1.185	0.940	0.940	0.090	1740
0.075	1.685	0.941	0.941	0.090	1972
0.075	1.685	0.941	0.941	0.090	1977
0.085	1.250	0.500	0.500	MIN	1886
0.090	2.000	0.750	0.750	0.060	1832
0.094	1.368	1.112	1.112	0.079	1877
0.104	0.700	0.625	0.625	MIN	1957
0.105	1.000	0.500	0.500	0.125	1749
0.105	1.210	0.400	0.400	0.109	2006
0.120	0.875	0.688	0.688	0.050	1651
0.124	1.373	1.500	1.500	MIN	1994
0.125	0.750	0.375	0.375	MIN	1632

Call, email or fax for more information, materials and availability.



ROLL FORMED PRODUCTS COMPANY

Samson Roll Formed Products Company
6101 West Oakton Street
Skokie, Illinois 60077

Phone: (847) 965-6700
Fax: (847) 965-8950
E-mail: sales@samsonrollform.com

samsonrollform.com