

	REVISION									
RE'	DESCRIPTION	DATE	BY							





SEE PO FOR MATERIAL TYPE AND FINISH FOR LENGTH DIMENSION ("L"), SEE PURCHASE ORDER. LENGTH TOLERANCE:LESS THAN 60":  $\pm 1/16$ " LESS THAN 120":  $\pm 1/8$ ", 120" OR GREATER:  $\pm 1/4$ " MAXIMUM BURR NOT TO EXCEED 10% OF MAT'L THICKNESS WITH THE EXCEPTION OF CUT ENDS, WHICH MAY HAVE BURR EXCEEDING THIS AMOUNT. FINISHED PART MAY EXHIBIT TYPICAL ROLL FORMED END CUT DISTORTION. PROFILE DIMENSIONS TO BE MEASURED 2" OR GREATER FROM CUT ENDS.

MATERIAL H.R.P.O.	GAU	<sup>GE</sup> 14	WID <sup>-</sup>	ГН			FINISH	MILL	
COATING		DRAWING AND ITS CONFIDENTIAL AND			SAMSON	ROLL	FORMED	PRODUCTS	
TEMPER C.Q. WT. PER M/FT.	TO B IN WI TO C	E REPRODUCED, USED HOLE OR IN PART OR DTHERS EXCEPT AS A SAMSON ROLL FORM	OR COPIED DISCLOSED AUTHORIZED		PH 847–965 FAX 847–965			6101 W OAKTON ST SKOKIE, IL 60077	<u>-</u>  Г.
-TOLERANCES- NOT INDICATED .XXX ±.010	RAWN BY: L.S	.B. 7-25-11	DATE:		ANGLE				
.X ±.060 FRACTIONAL ±1/32	HECKED BY:		DATE:	size A	CUSTOMER				
ANGLES ±1° STRAIGHTNESS.015"/FOOT DC TWIST 1°/FOOT Th	O NOT SCALE HIS DRAWING	SCALE: 1:1	DRAWING	#	S-1627		SHEET #		REV.